## ANNEXURE - 2

PROJECT:	DORABJI TATA GALLERY	LEGEND REF:	CST-3
Project No.: Area: Date: Item: Model No.:	Display Wall 23rd March'24 3 Circuit H-Profile Suspended Track EUTRAC H-Profile With 3 Circuit Track	Qty: (In Mtr.)	55
Description: Colour Lamp Beam Angle Lamp Base Total Wattage Control Gear Protection (IP) Accessories Dimensions: Notes:	Aluminium-Extruded H-Profile, with provision for insertion and fixing of 3-Ckt track, complete with all rigid threaded stud suspension + coupling accessories. Grey (Subject to approval) N/A N/A N/A N/A N/A 20 Width: 36mm; Height: 70mm; Length: As per site This is a generic specification based on a manufactu To be read in conjunction with contract drawings and Vendor/Manufacturer to provide sample for approval Installation method as per manufacturer's specs.	urer's t	

PROJECT:	DORABJI TATA GALLERY	LEGEND REF:	CST-2
Project No.: Area: Date: Item: Model No.:	Display Shelf 23rd March'24 Megnetic Track Generic	2000mm Lenght Qty: (In Nos.) 1000mm Lenght Qty: (In Nos.)	6
Description: Colour Lamp Beam Angle Lamp Base Total Wattage Control Gear Protection (IP) Accessories Dimensions:	Surface mounted 24V/48V megnetic micro track system. in black finish, with all connection, onboard dimmable power supply and fixing accessories as described Black (Subject to approval) N/A N/A N/A N/A N/A 20 As per image		
Notes:	This is a generic specification based on a manufactur To be read in conjunction with contract drawings and Vendor/Manufacturer to provide sample for approval Installation method as per manufacturer's specs.	documents	

PROJECT:	DORABJI TATA GALLERY	LEGEND REF:	TSL-1B
Project No.: Area: Date: Item: Model No.:	Display Shelf 23rd March'24 Adjustable track mounted projectors Generic	Qty: (In Nos.)	3
Description: Colour	Adjustable 3-circuit track-mounted variable beam spotlight for LED lamp with built-in on board dimmable power supply. Additional accessories must be possible, viz, antiglare louver, and color filters. Grey (Subject to approval)		
Lamp	30W LED 1800lm within SCDM 3, 90+ CRI, 3000° K		
Beam Angle Lamp Base Total Wattage Control Gear	Variable Beam (6° to 36°) N/A 33W Integral dimmable LED driver (on board) with minimum 0.9PF, THDi≤10% & Current ripple ≤20%		
Protection (IP) Accessories	20 hunycomb louver		
Dimensions:	As per image		
Notes:	This is a generic specification based on a manufacturer's product To be read in conjunction with contract drawings and documents Vendor/Manufacturer to provide sample for approval by the consultant before installation Installation method as per manufacturer's specs.		

PROJECT:	DORABJI TATA GALLERY	LEGEND REF:	TSL-5
Project No.: Area: Date: Item: Model No.:	Display Shelf 23rd March'24 Track mounted Framing Projector Generic	Qty: (In Nos.)	30
Description: Colour Lamp Beam Angle Lamp Base Total Wattage Control Gear	Adjustable 3-circuit track-mounted framing projector with built-in on board dimmable power supply and adjustable focus with four shaping blades at 90 deg positions. Grey (Subject to approval) 50W LED 4000Im within SCDM 3, 90+ CRI, Tunable White Wide beam with variable focus with four framing N/A 66W Integral dimmable LED driver (on board) with minimum 0.9PF, THDi≤10% & Current ripple ≤20%		
Protection (IP) Accessories	20		
Dimensions:	N/A		
Notes:	This is a generic specification based on a manufactur To be read in conjunction with contract drawings and Vendor/Manufacturer to provide sample for approval Installation method as per manufacturer's specs.	l documents	

PROJECT:	DORABJI TATA GALLERY	LEGEND REF:	TSL-3A
Project No.: Area: Date: Item: Model No.:	Display Shelf 23rd March'24 Megnetic track mounted Variable Beam Spotlight Generic	Qty: (In Nos.)	12
Description: Colour Lamp Beam Angle Lamp Base Total Wattage Control Gear Protection (IP)	Adjustable megnetic track-mounted variable beam spotlight for 24V/48V LED lamp with external dimmable power supply. Additional accessories must be possible, viz, antiglare louver, and color filters. Black (Subject to approval) 6W LED 600Im within SCDM 3, 90+ CRI, 3000° K Variable Beam (10° to 36°) N/A 8W External dimmable LED Driver with local dimmer minimum 0.9PF, THDi≤10% & Current ripple ≤20% 20		
Accessories Dimensions:	As per image		
Notes:	This is a generic specification based on a manufactu To be read in conjunction with contract drawings and Vendor/Manufacturer to provide sample for approval Installation method as per manufacturer's specs.	documents	

PROJECT:	DORABJI TATA GALLERY	LEGEND REF:	TSL-4
Project No.: Area: Date: Item: Model No.:	Display Shelf 23rd March'24 Megnetic track mounted linear washer Generic	Qty: (In Nos.)	6
Description: Colour Lamp	Adjustable megnetic track-mounted 24V/48V linear washer with external dimmable power supply. Black (Subject to approval) 12W LED 1100lm within SCDM 3, 90+ CRI, 3000°		
Beam Angle Lamp Base Total Wattage Control Gear	K Medium Beam (30°) N/A 14W External dimmable LED Driver with local dimmer minimum 0.9PF, THDi≤10% & Current ripple ≤20%		
Protection (IP) Accessories	20		
Dimensions:	Length: 200mm		
Notes:	This is a generic specification based on a manufacturer's product To be read in conjunction with contract drawings and documents Vendor/Manufacturer to provide sample for approval by the consultant before installation Installation method as per manufacturer's specs.		